

Electronic Components Group Circuit Module Operation P.O. Box 360 Muncy, Penna. 17756 717 546-3191

December 4, 1978

Mattel Electronics Division Mattel Inc. 5150 Rosecrans Avenue Hawthorne, California 90250

Attention: Mr. Howard L. Cohen

Dear Howard,

Enclosed please find two copies of the Purchase Agreement for the Mattel Video Game Products which have been executed as of November 30, 19⁷⁰ by Mr. A. M. Serang, General Manager of GTE Sylvania Incorporated, Circuit Module Operations, Muncy, Pa.

We at CMO are also looking forward to a long successful and mutually beneficial business relationship.

Very truly yours,

GTE SYLVANIA INCORPORATED

JOHN R. ROBERTSON Sales Engineer

JRR/nlr Enclosures

PURCHASE AGREEMENT

Agreement made this 30 day of November, 1978, by and between GTE Sylvania Incorporated, Circuit Module Operation, having a place of business at Muncy, Pennsylvania (hereinafter called "Seller" or "CMO") and Mattel Electronics, a division of Mattel, Inc., having a place of business at Hawthorne, California (hereinafter called "Buyer" or "Mattel").

WHEREAS, Seller manufactures electronic products and is willing to manufacture electronic video game products in accordance with designs and specifications heretofore developed by Buyer and furnished to the Seller; and

WHEREAS, Buyer is willing to purchase such electronic video game products upon the terms and conditions hereinafter provided;

NOW, THEREFORE, in consideration of the mutual covenants hereinafter set forth, and intending to be legally bound, the parties agree as follows:

- 1. QUANTITY AND DELIVERY Seller agrees to sell and Buyer agrees to purchase and pay for 200,000 electronic video game products to be delivered to Buyer on the dates and in the quantities set forth in the attached Exhibit "A".
- 2. PRICE The prices to be paid by Buyer to Seller for electronic video game products purchased hereunder are set forth in Exhibit "B", attached.
- 3. <u>VIDEO GAME PRODUCTS</u> The electronic video game products to be delivered hereunder (hereinafter "Products") shall conform to the Buyer's design and specifications set forth in Exhibit "C" attached hereto.

4. WARRANTY - Seller warrants that the Product sold hereunder will be in substantial conformity with the Buyer's design and the specifications set forth in Exhibit "C" and free from defects in CMO supplied material and workmanship. Seller's obligations under this warranty and Buyer's exclusive remedy for breach thereof shall be limited to (at Seller's option) repairing or replacing or granting a credit at the prices invoiced at the time of shipment of said Product which shall be returned to Seller in accordance with the "WARRANTY ADJUSTMENTS" clause set forth below, and which are, after inspection, disclosed to have been defective in the form in which they were delivered by Seller. Seller's obligation under this warranty will terminate ninety (90) days from the date of purchase by a consumer but in no event more than three hundred sixty (360) days from Seller's delivery to a carrier as provided in Paragraph 7 hereof. Seller shall serialize all Products and indicate Product serial numbers on its invoices. This warranty shall not apply to any Product which shall have been repaired or altered, except by Seller, or which shall have been subjected to physical or electrical abuse or misuse. Mere removal of an entire circuit board or a major subassembly by a trained service technician will not be deemed a repair or alteration.

Seller's warranty shall run to Buyer only. Buyer and Seller agree that OTHER THAN AS SET FORTH ABOVE, THERE ARE NO EXPRESS OR IMPLIED WARRANTIES, INCLUDING THAT OF MERCHANTABILITY OR FITNESS FOR USE FOR A PARTICULAR PURPOSE, MADE BY SELLER IN RESPECT TO ANY PRODUCT SOLD HEREUNDER.

5. WARRANTY ADJUSTMENTS - If Buyer wishes to return Product pursuant to the "WARRANTY" clause, it shall first obtain and comply with return instructions from the Seller's authorized representative. Following receipt of such instructions, shipment shall be made in accordance with such instructions, freight prepaid by the Buyer. The package in which Products are returned must be able to withstand normal freight handling and shall include a packing list stating the quantity of Products being returned, the serial numbers of the Products and a detailed description of the reason for such return.

Upon receipt, Seller will inspect the returns by appropriate means and notify Buyer of its findings regarding the Seller's responsibility. Returns found to be Seller's responsibility under the "WARRANTY" clause set forth above will be repaired or replaced, or credited to the Buyer at Seller's option and Seller shall reimburse Buyer for prepaid freight. Returns found to be defective and to be the Buyer's responsibility will be repaired or replaced at Buyer's option and cost. Returns found to be serviceable without defect will be returned to the Buyer, freight collect.

Disputes concerning warranty responsibility will be resolved by the mutual agreement of the General Managers of Mattel Electronics Division and the Circuit Module Operation. In the event such dispute cannot be mutually resolved then the matter will be arbitrated in accordance with paragraph 29.

Seller agrees to negotiate in good faith with Buyer to achieve a mutually agreeable alternative arrangement for in-

warranty repairs by a service organization selected by Buyer.

6. LIMITATION OF LIABILITY -

- A. The parties agree that in no event shall Seller be liable to or through Buyer for any special or consequential damages of any nature arising from breach of contract including without limitation, Buyer's lost profits or revenues with respect to any Products sold hereunder.
- B. Buyer agrees to indemnify and hold Seller harmless from all liability and expenses (including reasonable attorneys fees) from: all claims or suits for special or consequential damages; all claims of Buyer's customers, consumers, users of the Products, or others whose claims arise out of the ownership, sale or operation of the Products.
- C. It is expressly agreed and understood that the indemnification contained in subparagraph 6B above shall not apply to claims or suits claiming bodily injury or property damage arising out of or relating to the negligent workmanship of Seller; and Seller agrees to indemnify and hold Buyer harmless from all liability and expenses (including reasonable attorney's fees) relating to such claims or suits. The amount of this indemnification shall be limited to \$20,000,000.
- 7. TITLE AND DELIVERY All Product sold hereunder will be delivered FOB, Seller's factory and delivery of Product will be deemed made and Seller's liability for loss or damage in transit will cease and title and risk of loss

shall pass to Buyer upon Seller making delivery of Product to a carrier at the point of shipment, the carrier acting as the Buyer's agent.

8. FINAL INSPECTION AND ACCEPTANCE - Final inspection of Product will be made at Seller's factory in accordance with, and to the standards of, the test procedures and specifications set forth in Exhibit "D" hereto. Buyer appoints and authorizes Seller as its agent to perform said tests. Seller accepts such appointment and agrees to perform the tests and meet the specifications set forth in Exhibit "D" on all Product delivered hereunder.

Buyer shall have the right to audit (including retest)
Seller's test results periodically or place a limited number
of its employees at Seller's plant in Muncy/Williamsport,
Pennsylvania, and in the plant or plants of any of Seller's
subcontractors, to witness Seller's, or such subcontractor's
final inspection and testing of Product.

9. CONSIGNED MATERIAL - Buyer will furnish Seller on consignment and without cost with the game chip (Integrated Circuit) sets (hereinafter "Chips") and other consigned material described in Exhibit "E" attached hereto in the quantities therein specified, which Chips are required for the manufacture of the quantity of Product as set forth in Exhibit "A". All Chips provided hereunder shall meet the standards and specifications listed in Exhibits "C", "D", and "E" and will be furnished in the quantities and at the rates reasonably required by Seller to support the manufacture and delivery of Product. All such consigned material will

be delivered FOB Seller's factory.

In the event Chips in sufficient quantities are not delivered to Seller in a timely manner or are delivered but do not meet specifications, Buyer will reimburse Seller for all reasonable costs incurred as a consequence of any readjustment to the delivery schedule and/or manpower requirements.

Substantial failure of Buyer's Chip vendor to supply consigned material meeting specifications in a timely manner will be deemed a termination for Buyer's convenience and will not be deemed an excusable delay unless Buyer promptly directs

Seller to continue manufacturing Products without such consigned material pursuant to the "Design Changes" clause (paragraph 13).

10. PRODUCT DESIGN - Buyer shall have sole responsibility for Product design, including without limitation, any design deficiencies, the drawings and specifications in Exhibit "C" the test procedures and specifications in Exhibit "D" and the recommended component purchase specifications described in Paragraph 11. Buyer represents to Seller that Product built in conformance to said design drawings and specifications in Exhibit "C" with components as documented per Paragraph 11 and tested in conformance to Exhibit "D" will result in the Product performance and reliability specified in Exhibit "C". Buyer agrees to reimburse Seller for its costs incurred (of the type described in paragraph 16B) as the result of the obsolescence of any raw material or work in process (including labor) rendered obsolete by changes required to correct Product deficiencies. Seller agrees to

review all specifications delivered to it by Buyer and to give Buyer prompt notice of any matters coming to its attention which it feels will hamper Product production performance or reliability hereunder whereupon Buyer will promptly make changes as needed to correct such deficiencies. However, no such review or notice or lack of notice will be deemed to alter Buyer's exclusive responsibility for the Product design and specification of components and for the resulting Product functional performance and reliability.

- 11. COMPONENT QUALIFICATION AND DOCUMENTATION Seller will prepare and deliver a Buyer approved documentation package consisting of: (i) a component list for the Product and (ii) Buyer approved purchase specifications, including where feasible three (3) sources for procurement of such components. Items (i) and (ii) above will be finalized following the component qualification and documentation program described below. The parties agree to cooperate as follows:
- A. Within 10 days following the date of this Agreement
 Seller will provide Buyer with a list of components in the
 Product including, where possible, recommended sources for
 procurement of such components. In preparing this list
 Seller will utilize the base line component list and manufacturing
 sources specified in Exhibit C. In instances where a particular
 component is not sufficiently identified (i.e. does not
 reference a manufacturer), Seller will recommend specific
 sources for inclusion on the component list in Exhibit C for
 Buyer's approval.

- B. Promptly following receipt, Buyer shall review and if it deems necessary analyze and test the components recommended by Seller pursuant to (A) above, it being agreed and understood that Seller's recommendation of such components will in no way affect Buyer's sole responsibility for Product design and for the correct specification, including sources for procurement, of such components.
- C. Prior to production hereunder Buyer plans to make or have made approximately 1-200 Product or Products from components procured from the recommended base line sources specified in Exhibit C as supplemented by Seller, pursuant to subparagraph A, above. Buyer shall order components for such Products from Seller in the quantities and at the prices specified in Purchase Order(s) issued by Buyer and acknowledged by Seller. Seller may perform assembly operations on such components to produce Product for the testing described below pursuant to Purchase Orders agreed to between the parties.
- D. Buyer shall test or cause to be tested at Buyer's expense the Products described in subparagraph C above, for compliance with Buyer's design, all of its specifications, its requirements for the performance and reliability of the Product, and its components, and conformity with regulations issued by the Federal Communications Commission, The Consumer Product Safety Commission, and any other applicable regulations relating to such Products.
- E. Based on the results of the activities in paragraphs
 A-D above, Buyer shall advise Seller in writing of its

approval of the documentation package not later than 60 days prior to scheduled production. Seller shall then compile and deliver to Buyer, the Buyer approved documentation package consisting of the component list and purchase specifications (including sources for procurement). The documentation package must be approved by Buyer and made available to the Seller not later than forty-five (45) days prior to Product production. Any changes directed by Buyer as a result of the testing described in subparagraph D, above, to Exhibit C or to the component list described in subparagraph A, will be deemed a design change pursuant to paragraph 13.

- F. In the event Buyer fails to advise Seller of its approval of the documentation package by the date provided in subparagraph E, above, the contract price and delivery schedule will be equitably adjusted to reflect such delay.
- 12. COMPONENTS All components used in the Product will be purchased in accordance with the Buyer approved purchase specifications described in Paragraph II above.

 Seller shall make no substitutions thereto without Buyer's written consent, which consent will not be unreasonably withheld. Seller shall conduct appropriate incoming inspection of components in accordance with its standard practice.
- 13. <u>DESIGN CHANGES</u> Buyer reserves the right to change any one or more of the specifications identified in Exhibit "C" for the Products to be produced hereunder. Upon Seller's receipt of Buyer's notice respecting a specification change, Seller shall determine any cost modification, pricing impact or production or delivery changes affecting Seller's

performance hereunder; and within a reasonable time of Seller's receipt of such notice, shall provide Buyer with a written statement setting forth any cost modification, pricing impact, production or delivery change and the reasons respecting such changes. Buyer and Seller shall thereupon promptly mutually agree to an equitable adjustment to the price or delivery schedule resulting from any such change, such mutual agreement to be thereafter reduced to writing and executed by authorized representatives of both parties. Where Mattel requires a design change on an emergency basis, CMO shall submit an expedited "not to exceed" proposal for Mattel's written approval.

14. COMPLIANCE WITH LAWS - Seller assumes no liability
to or through Buyer and makes no representation that the
Products conform to any federal, state or local law, code or
regulation. Buyer specifically assumes responsibility for
such compliance and represents to Seller that to the best of
its knowledge that Products have been designed, tested and
qualified as a safe consumer product. Buyer further agrees
to assume responsibility for the Products conformity with
regulations now or hereafter issued by the Federal Communications
Commission and the Consumer Product Safety Commission and at
Buyer's election to have said Products approved, at Buyer's
expense, for listing by Underwriters Laboratories, Inc.

Seller represents only that the Product to be produced hereunder will be manufactured in compliance with all applicable requirements of the Fair Labor Standards Act, and all valid and applicable regulations and orders issued thereunder.

15. TOOLING - Tooling for certain components required to manufacture Products has been tooled by the Buyer or Buyer's vendors such tooling having been approved by Buyer. Such tooling and components are listed in Exhibit "F". Buyer represents that such tooling is in the necessary quantity and of suitable quality to manufacture the number of Products at the rates set forth in Exhibit "A" hereto. Seller shall initially enter into purchase agreements with Buyer's affiliates and/or suppliers for the components listed in Exhibit "F". The parties further agree that such tooling, and all drawings and specifications as needed to assure the quality of the components made from them, will be made available to Seller for the purpose of establishing additional and/or alternative sources of supply, if desired by Seller. Tooling, equipment, or material which Buyer may furnish to Seller or which Buyer pays for directly shall at all times remain the property of the Buyer.

Buyer will be responsible for the normal maintenance of its tooling under its control and/or possession and Seller will be responsible for the normal maintenance of Buyer's tooling under its control and/or possession. Buyer will retain ownership of all Buyer's tooling used by Seller, and Buyer will be responsible for any design defects of such tooling.

Unless Buyer shall direct otherwise, Seller will not use such tooling except in the performance of work under this Agreement. Such property while in Seller's custody or control, shall be insured by Seller at its expense in an amount equal to the replacement costs, with loss payable to

Buyer. Upon any return of such tooling, the costs of transportation will be borne by Buyer.

16. TERMINATION -

- A. Either party shall have the right to terminate this Agreement upon thirty (30) days prior written notice if the other party has materially breached or defaulted in the performance of its obligations hereunder and has not cured said breach or default during said notice period. Seller may also terminate this Agreement for non-payment of Seller's invoices, provided such non-payment continues after ten (10) days' prior written notice, and in the event of such termination Seller shall be entitled to reimbursement for the amounts set forth in sub-paragraph 16B below and its profit on any undelivered units.
- B. In addition to the termination provision contained in Section 16A hereof, Buyer shall also have the right to terminate this Agreement at any time (including following the exercise of the option contained in paragraph 18) upon not less than six (6) working days (a "working day" meaning Monday through Friday excluding CMO observed holidays) written notice. Prior to the delivery of the initial 200,000 Products, this right of termination may be exercised only in the event of Buyer's own reduced requirements for such Products and not for the purposes of replacing Seller as a vendor of such Products. Such notice shall specify the date termination is to be effective (hereinafter called the "Termination Date"). Upon receipt of such notice of termination, Seller shall immediately stop all work and direct its

subcontractors and suppliers to stop all work except to the extent reasonably necessary to produce the quantity of Product scheduled to be delivered to Buyer up to the Termination Date. Buyer's liabilities to Seller shall be the cancellation charges as calculated below:

- (i) Buyer will, upon delivery FOB Seller's factory,
 pay for any additional finished inventory of Product remaining
 in the hands of Seller at the Termination Date at the prices
 set forth in Exhibit "B", and
- (ii) Buyer will pay Seller's actual and invoiced cost of raw materials and/or components not otherwise contained in work in process (as defined in subparagraph B(iii) below), including kitted components and materials, and other raw materials and components on Seller's production floor which are in the same form and content as received from Seller's suppliers, and which were reasonably procured (i.e. amounts not to exceed that required for 90 days' production measured from the Termination Date, or such longer or shorter period as may be agreed upon by the parties for a particular component if required as the result of a longer or shorter lead time for such components) provided such raw materials and components were acquired specifically to produce Product hereunder. Buyer wishes, Seller will deliver to Buyer such raw materials and/or components with freight therefore to be paid by Buyer, and
- (iii) Buyer will pay for Seller's work in process the sum of:
 - (a) Seller's cost of raw materials and/or components

(as invoiced to Seller by its suppliers) which raw materials and/or components are in Seller's work in process on the Termination Date, and

- (b) Seller's direct manufacturing costs applicable to such work in process. "Direct Manufacturing Costs" shall mean:
 - (1) Hourly labor of personnel who physically touch the Product in a production mode, and add value to such Product;
 - (2) Hourly labor of personnel who support those identified in (1) above, including material handling, quality control, engineering, and maintenance;
 - (3) Those personnel involved in the direct supervision of those identified in (1) and (2) above; and
 - (4) Costs of the same or similar nature as those set forth in (1) through (3) hereof including, without limitation, costs of subcontractors.

If Buyer wishes, Seller will deliver to Buyer such work in process, with freight therefore to be paid for by Buyer, and

(iv) Buyer will pay Seller's overhead costs incurred on the Mattel program. Such overhead costs will be equal to "Mattel's direct manufacturing cost" multiplied by "CMO's overheadratio." "Mattel's direct manufacturing cost" is the sum of the amounts calculated per paragraph 16.B.(ii) and 16.B.(iii). "CMO's overhead ratio" is the Seller's total overhead for its total business divided by CMO's total

direct manufacturing cost for its total business for the concurrent period. (For example: assume 16B(ii) is equal to \$100,000 and 16B(iii) is \$300,000. Further, if CMO's total overhead for its business is \$1,000,000 and CMO's total direct manufacturing cost for its total business is \$2,000,000, thenCMO's overhead ratio would be \$1,000,000 divided by \$2,000,000 or 50%. Thus overhead costs would be equal to \$300,000 X .5 or \$150,000), and

- (v) Buyer will also pay for Seller's reasonable costs incurred in termination of purchase orders or other agreements to buy raw materials, components and subassemblies specifically to produce Products which purchase orders are outstanding on the Termination Date, provided however, that such purchase orders were reasonably made by Seller. Buyer may, if it notifies Seller in writing, negotiate or otherwise terminate such purchase orders directly with Seller's suppliers, provided Buyer agrees to hold Seller harmless from any loss or damage arising by virtue of the existence of such purchase orders. Should termination of any such purchase order result in the delivery of any raw materials or components to Seller, if Buyer wishes, Seller will deliver such raw materials and/or components to Buyer, with freight therefor to be paid by Buyer, and
- (vi) Termination charges, in settlement of Seller's initial costs and preparatory expenses incurred up to the Termination Date, in the amounts set forth in Exhibit "G."
- (vii) In the event of the termination under this Section 16B, and within a reasonable time of the Termination Date,

Seller will submit to Buyer a detailed statement of Buyer's liabilities as calculated by Seller pursuant to Section 16B (i) through (vi) hereof, as of such Termination Date.

(viii) Should the parties fail to agree on the sum of such liabilities reflected on such statement within thirty (30) days thereafter, the Buyer shall have the right to request Arthur Anderson & Co., Seller's independent certified public accountant, to examine Seller's records to calculate Buyer's liabilities under this Section 16B (i)-(v), and the parties agree to be bound by such determination.

Buyer agrees to pay for the services of such accountant, should Seller's original detailed statement of Buyer's liabilities hereunder be within ten (10) percent of such accountant's determination. Should Seller's original statement of Buyer's liabilities exceed such accountant's determination by more than ten (10) percent the Seller will pay the cost for such accountant's services.

17. EXCUSABLE DELAY - Seller shall not be responsible for delays in delivery or failure to deliver Product due to causes beyond its control, including, without limitation, acts of God, acts of Buyer, government action (civil or military) taking or preempting Seller's production facilities, legal interferences or prohibitions, fires strikes or other labor difficulties, wars or hostilities, insurrections or riots, embargoes, wrecks or delays in transportation, unusually severe weather or any like or dissimilar cause beyond its control. Equipment malfunction or obtaining necessary material and components (other than that which Buyer is

responsible for, has been designated a sole source, or is directed pursuant to paragraph 13, Design Change) shall be deemed to be within Seller's control. In the event of any such delay, the date of delivery shall be extended for a period equal to the time lost by reason of the delay. In the event such delay continues for a period of sixty (60) days, Buyer shall have the right to terminate this agreement. Any such termination shall be deemed a termination for Buyer's Convenience pursuant to paragraph 16B, however Seller shall not be compensated in any way for the overhead charges specified in subparagraph 16B(iv).

Seller shall have the right to request Buyer's approval of Substitutes for material which cannot be obtained due to the above Causes. Such approval will not be unreasonably withheld. Within five (5) days of the occurrence of an event described above, Seller shall notify Buyer in writing of such delay or its inability to perform.

- 18. MATERIAL/COMPONENTS RELEASE REPORTS Seller agrees that during the ninety (90) days following execution of this agreement it will make no binding commitments for the purchase of raw material or components in excess of that required to manufacture 60,000 Products unless authorized by Buyer. Seller will advise Buyer monthly in writing of its planned releases for raw material and component purchases during the term hereof.
- 19. OPTIONAL QUANTITY Buyer shall have the right to purchase the optional quantity of Product specified in Exhibit "A" upon not less than 90 days notice prior to the

equipment, materials, parts or machinery furnished by the Buyer. Seller assumes no consequential or other liability for, and the Buyer agrees to hold Seller harmless from, infringement of patent claims covering any equipment, assembly, system, circuit, or combination in which any such Products may be used as a component; any such claims arising out of Buyer consigned material; any and all claims in connection with software developed, or furnished to Seller, by the Buyer; or from any trademark infringements involving any marking or branding not applied by Seller or involving any marking or branding applied at the request of the Buyer. No costs or expenses under this paragraph shall in any event be incurred for the account of Seller without its written consent.

Buyer shall have the right at its sole expense to assume control of litigation arising out of its undertaking in this paragraph.

- 23. SALE CONVEYS NO LICENSE Sales hereunder do not convey any license under any patent claim with respect to which Seller can grant licenses.
- 24. PROPRIETARY INFORMATION Proprietary Information, as used herein shall mean information received by GTE Sylvania's Circuit Module Operation, Muncy, Pennsylvania from Buyer, in writing or, if orally disclosed in confidence, such oral disclosure is subsequently reduced to writing and transmitted to Seller within ten (10) days of such disclosure and is marked or identified as "Proprietary" or bearing a marking of like import. Information shall not be deemed Proprietary

and Seller shall have no obligation with respect to any such information which:

- (a) is or becomes publicly known or part of the public domain; or
- (b) is known to the Seller or its affiliated companies prior to the disclosure by Buyer; or
- (c) is independently developed by Seller or its affiliated companies; or
- (d) is rightfully received by Seller or its affiliated companies from a third party; or
- (e) is furnished by Buyer to a third party without a similar restriction on the third party's rights; or
- (f) is approved for release by Written authorization of Buyer.

Seller shall hold the Proprietary Information in strict confidence and use same only for the purpose of fulfilling its obligations under this Agreement and in the event it becomes necessary to disclose such information to a third party, such as a vendor or subcontractor, Seller agrees to obtain the execution of a Confidential Disclosure Agreement by such third party containing the provisions of this Paragraph 24 prior to the disclosure of the information to such third party.

All documents, drawings, sketches, and designs furnished by Buyer hereunder and marked or identified as "Mattel Proprietary" or other words of like import shall remain the property of Buyer and upon the expiration or termination of this Agreement shall be returned to Buyer promptly together

with all copies made thereof, except that one copy may be retained in the files of the Seller's Law Department.

Seller's obligations under this Paragraph shall in any event, expire two (2) years from the date of termination or expiration hereof, whichever occurs first. For the purpose of this Paragraph 24 only, the term "Seller or its affiliated companies" shall be defined to mean GTE Sylvania Incorporated, GTE Products Corporation or General Telephone & Electronics Corporation or any subsidiary or affiliate thereof.

25. NOTICES - All notices permitted or required hereunder shall be mailed postage prepaid, certified mail, return receipt requested; telexed with immediate written confirmation by certified mail or hand delivery as herein provided or hand delivered against a receipt therefore; and if to Seller;

GTE Sylvania Incorporated Circuit Module Operation P.O. Box 360 Muncy, Pennsylvania 17756

Attention: General Manager with a cc to: J.R. Robertson

if to Buyer:

Mattel Electronics Division Mattel, Inc. 5150 Rosecrans Avenue Hawthorne, California 90250

Attention: General Manager with a cc to: Director of Purchasing

Said addresses may be changed by written notice given as aforesaid.

26. <u>ASSIGNMENT</u> - No assignment of this Agreement by either party shall be made or be valid without the prior written consent of the other party. Notwithstanding the foregoing,

this Agreement may be assigned by Seller to General Telephone & Electronics Corporation or any wholly-owned subsidiary thereof, any said assignment to be effective upon the express assumption of the rights, duties and obligations hereunder by such asssignee. This agreement may also be assigned by Buyer to any wholly-owned subsidiary; however, no such assignment will relieve Mattel, Inc. of its obligations hereunder.

- 27. <u>PUBLICITY</u> Neither party will issue any press release, publish or otherwise publicly disclose the existence or terms of this Agreement without first obtaining the permission of the other party and the approval of the text of any such release.
- 28. ADMINISTRATION The parties will each appoint a single representative through which all day to day administrative and other matters of a contractual nature will be coordinated. Such representative may be changed at any time by notice pursuant to Paragraph 25. Seller hereby designates John R. Robertson as such representative and Buyer hereby designates Howard L. Cohen as such representative.
- 29. <u>ARBITRATION</u> Disputes concerning warranty responsibilities not otherwise resolved will be arbitrated by one (1) arbitrator in New York City in accordance with the rules of the American Arbitration Association (the "Association").

In the event the parties fail to mutually select the arbitrator, the selection will be made by the Association.

The decision of the arbitrator will be final and binding and may be entered in any court having jurisdiction. The arbitrator may, but shall not be required to make an award of reasonable

expenses to the prevailing party.

and agreement between the parties with respect to the subject matter hereof superceding all prior agreements and understandings. There are no promises, terms, conditions or obligations with respect to the subject matter of this agreement other than those contained herein. Any terms and conditions set forth on Buyer's purchase order form including, without limitation, purchase orders for component sets or the labor to assemble such sets as described in paragraph 11 and/or in the Seller's standard terms of sale are not part of this agreement and the provisions of any such forms will not be applicable to purchases made hereunder. Paragraph headings as used herein are for convenience and will not be deemed to be part of this agreement.

No variation, modification or amendment hereof shall be binding upon either party unless signed by an authorized representative for such party. No waiver or any breach by either party or any term, conditions, or obligation shall be deemed a waiver of similar terms, conditions, or obligations in the future, nor shall a waiver by either party of any breach be deemed a waiver of subsequent breaches of the same or similar nature.

GTE SYLVANIA INCORPORATED CIRCUIT MODULE OPERATION

MATTEL, INC.
MATTEL ELECTRONICS DIVISION

By: A.M. Serang
General Manager ///30/199

By: Mastores

EXHIBIT A

	DELIVERY SCHEDULE	
Date	Quantity of Product To Be Delivered	Cumulative Quantity Delivered
1. Within the first 30 days following the date of this Agreement	-0-	-0-
2. More than 30 but less than 61 days following the date of this Agreement	-0-	۲0-
3. More than 60 but less than 91 days following the date of this Agreement	-0-	-0-
4. More than 90 but less than 121 days following the date of this Agreement	250 preproduction units	250
5. More than 120 but less than 151 days following the date of this Agreement	250 preproduction units	200
6. More than 150 but less than 181 days following the date of this Agreement	3500 production	4,000
7. More than 180 but less than 211 days following the date of this Agreement	11,000 production units	15,000
8. More than 210 but less than 241 days following the date of this Agreement	45,000 production units	000*09
9. More than 240 but less than 271 days following the date of this Agreement	70,000 production units ±20%*	130,000
10. More than 270 but less than 301 days following the date of this Agreement	70,000,production units ±20%	200,000
11. More than 300 but less than 331 days following the date of this Agreement	100,000*production units	300,000 **
12. More than 330 but less than 361 days following the date of this Agreement	100,000*production units	400°000
13. More than 360 but less than 391 days following the date of this Agreement	100,000**production units +20%*	\$00,000
14. More than 390 but less than 411 days following the date of this Agreement	100,000 120%, 120%	** 000,009
15. More than 410 but less than 440 days following the date of this Agreement	100,000*production units	700,000 **

*The number of units to be delivered by Seller at the dutes indicated above may fluctuate \$15% of the quantity indicated during the first 240 days and up to \$10% thereafter. In the event of overages, the following month's scheduled quantity will be proportionately reduced. In the event of delivery of less than the nominal quantity specified above, the next month's scheduled quantity will be proportionately increased. As rapidly as possible.

 $\star\star\circ \mathsf{Option}^*l$ quantities deliverable provided Buyer exercises the option contained in the Purchase Agreement.

GTE Sylvania/Mattel Agreement

Exhibit B

Prices

Quantity	Price
First 200,000 Units	\$70.00 ea.
200,001* - 700,000* Units	\$64.75 ea

A. The above unit prices and the nonrecurring charges described below have been based upon the prices represented by Buyer for the undefined components listed below. In the event Seller's costs differ from the amounts stated below, the price will be equitably adjusted to reflect such difference until such time when these components are fully specified.

	Unit Cost	Extended Cost
 2609-0320 Label - Plain Foil 2609-0330 Label - Controls Foil 2609-2119 Console Cover, (1) 2609-2149 Tray, 	\$.14 .14	\$.14 .14
and (1) 2609-2109 Console Base (AR) Paint	1.53 (Set) .02	1.53 (Set) .02
(1) 2609-2129 Button and (1) 2609-2139 Glamor Cap (1) 2609-4269 Spring - Push Button (1) Washer - Push on		.07 (Set) .012
(2) 2609-9469 Connector - Controller(2) 2609-2059 Housing, Lower and (2) 2609-2069	.19	.38
Housing Upper (2) 2609-9589 Circuit Matrix (4) 2609-2099 Push Button (2) 2609-2089 Disc - Control Acetal (2) 2609-0310 Inlay	.685	.30 (Set) 1.37 .07 (Set) .085
(2) 2609-2079 Frame ABS (2) 0405-4279 Compression Spring (1/6) 2609-0930 Master Carton (1) 2609-0910 Individual (Game) Carton and 2609-0970 (2) 2609-0810 End Cap Styrobead (1) 0001-9210 Poly Sleeve (11½ x 24) Bag	.0425 .012 .60 .54 .25	
(1) 2609-0920 Instruction Sheet Pr. Paper	.10	.10

GTE Sylvania/Mattel Agreement

Exhibit B

Prices (Continued)

B. In addition to the above units prices, nonrecurring charges ** of \$36,070.00 are applicable at 200,000 unit quantity. An incremental amount of \$3,050.00 is applicable if optional quantity * per Exhibit "A" is exercised. These nonrecurring charges include:

Description	200,000 Uni	200,00	01*-700,000°	* Units
Assembly Fixtures and Insertion Programming	\$ 9,300.00		\$ 3,050.00	
G.I. Designed and Manu- *** factured Test Equipment	15,000.00			
(2) Single Cavity Dies for Logic Board Pierce Unplated Thru Holes and Blank Profile	5,750.00			
(1) Indexing Die for Power Supply Board	1,450.00			
(1) Two Cavity Pierce & Blank Die for Power Supply Board	4,570.00			
Total	\$36,070.00	Due within 30 days of this agreement.	\$ 3,050.00	Due within 30 days of option
				exercise.

^{*} Optional Quantity

^{**} Seller considers its engineering and design of all tooling or dies an integral part of the manufacturing process; therefore, payment of nonrecurring charges which do not include total costs conveys ownership only to the extent of Buyer's investment without the right of removal from Seller's plant. Seller's interest, together with the right of removal, may be obtained through negotiation and agreement for fair reimbursement for the costs of the tools and dies, design, development and maintenance.

^{***} This equipment will be purchased by Seller and will become Buyer's property upon payment of the Seller's invoice.

C. Seller's prices do not include Upper and Lower RF Shield costs.

	- 1	T			**********	8	
	_0F_21					APPROVED	38 39 40 41
						DATE	37 38 Corpora
	SHEET	-		į.		П	35 36 be inc
. 5609-9993			AMF - STANDARD PACK (1978)			REVISION DESCRIPTION	8 29 3031 32 3334
P	REV.		VIDEO GAME	0		TEM	
iges		_	5			SH'T ITEM	3 24 1 to b
ef 27 Pages		THE		_		SYM	TATUS TATUS
ge C1	suo	DATE				APPROVED	18 19 20 2 1 22 23 24 25 26 27 20 F REVISION STATUS OF EACH SHEET COMPonents remain to be completed
Agreemen	Specification Sources					DATE	15 16 17 1 RECORD OF
Pa GTE Sylvania/Mattel Agreement	- Mattel Spections and Sour	PREP	СНК	APPD	Oddy	RIPTION	is is it
GTE Sylv	*					REVISION DESCRIPTION	3 4 5 6 7 8 9 10 11 Detailed drawings and spec
	1.) Component List,	RELEASED DATE				ITEM	
	Compo	ASED				SHTI	
	1:	RELE				SYM S	*

Pages AN TITL TITL TON TON TON THE ON DESCRIPTION TO THE ON DESCRIPTION TO THE ON THESE AND THE ON THESE AND THE ON THESE AND THESE AND THE ON THESE AND THE ON THESE AND THE ON THESE AND THE ON THE	GIE Sylvania/Mattel Agreement Exhibit C - Mattel Specification Component List, * Specifications and Sources, (continued) GIYOMSH UNIT IDENTIFYING NO. R. Master Carton AVI A/R 0405-0790 G Ea. 2609-9992 G Ea. 2609-9992 Toy in Individual Labelled G Ea. 2609-9992 Toy in Individual Labelled R*REFERENCE *Detailed drawlings and specifications on these	2609-9993	VIDEO GAME - STANDARD PACK (1978)	SHEET 1 OF 1	ON SUGGESTED SOURCE C/C			Carton									2609-9993
Attel Agreement el Specification ons and Sources, (colors and Sources) No No. K. K. Ma Ta	GIE Sylvania/Mattel Agreement Exhibit C - Mattel Specification Component List, * Specifications and Sources, (OTY/DASH UNIT IDENTIFYING NO.	of 27 Pages	TITLE -		NOMENCLATURE OR DESCRIPTION	ster Carton	- 3"	Individual Labelled			RTX						on these
	Component List, YONNT A/B	Page	attel Agreement el Specification	and Sources,	NO.	Ma	Ta	TO									drawings and specif
	1 1 1 1 1 1 1 1 1 1		Ex	Component List,		-	_	-									

Pages AN 2609-9992 TITLE TOW IN INDIVIDUAL LABELLED CARTON		REV. SHEET 1 OF 1	NOMENCLATURE OR DESCRIPTION SUGGESTED SOURCE 6/C	arton - Labelled	rear	yrofoam Bead	aer	Sleeve (11½" x 24")	Sheet	sette							in these
2609-9992 E TOM IN INDIVIDUAL LABELLED			SUGGESTED					(11½" ×									
Page C3 of 27 Pages		(continued)		Individual Carton -	Tape - 2" Clear	End Cap - Styrofoam	Tape - 1" Clear	Polyethylene Sleeve	Instruction Sheet	Football Cassette	Video Game						cifications on
int P		es,	KEL		11	+	+	++	++	U	\mathbb{H}	1	H	+	1		
eeme	ונפו	Sources,	BEK	+	H	₩	+	++	+	₩	+	+	Н	+	-	H	T bug
GTE Sylvania/Mattel Agreement	noice market	* Specifications and	IDENTIFYING NO.	2609-9219	0405-9950	2609-0810	0405-0290	0001-9210	2609-0920	2610-9991	2609-9991						*Detailed drawings
2		List,	UNIT	Ea.	A/R	Ea.	A/R	e.	Ea.	Ea.	Ea.						
		=		-	A R	2	· K	H	F	1-1	-	+	\forall				+
		Component	OTY/DASH						T								
		dimo			П					П							
					11		1	11	1	П			П				
			ITEM	-	2	(m)	4	2	9		8		11				KEY

1	1	-	0/C	Ī	П			П		T			I	ŀ				T		-21
.	OUAL CARTON - LABELLED	SHEET 1 OF	SUGGESTED SOURCE																	SHEET 4 OF
AN 2609-9219	TITLE INDIVIDUAL	REV	ESCRIPTION																PL 2609-9993	REV.
e C4 ef 27 Pages		centinued)	NOMENCLATURE OR DESCRIPTION	Individual Carton	Label													Iffications on these	ted by Mattel	Changes.
Page	no	_	KEA	+	+	+	H	H	+	+	H	H	+	H	+	+	+	and spec	m) le	stgn
0	cati	Sources,	REK																CO	9 6
GTE Culvania/Mattel frame	Exhibit C - Mattel Specification	* Specifications and	IDENTIFYING NO.	2609-0910	2609-0970													*Detailed drawings		ance with paragraph 13, Design
٢	Exh	List,	UNIT	Ea.	Fa.			П	П			П					T	7.	OUSE	B B D Y C CONSIGNED
		It L		-	+	+		+	++	+	1	H	+	+	+	+	+		M. MAKE IN HO	SNE
		Component	OTY/DASH			-	1	11	11	+	1	+	+	1	+		+		KE	NSIC
		duo							T			11	1				1		MA	000
		1																	2	تَ ق
		3	ITEM		2				IT			1 1		1 1			11	KEY		

991	GAME	SHEET 1 OF 1	SUGGESTED SOURCE G/C																		4
AN 2609-9991	TITLE VIDEO GAME	REV.	ESCRIPTION																	PL 2609-9993	
ge C5 of 27 Pages		continued)	NOMENCLATURE OR DESCRIPTION	Console Assembly		ŀ														fications on these	63
Page	n u	-	KEA	3	+	+	+	H	+	Н	+	Н	+	+	H	+	H	+	-	spect	his
	atio	ırces	REK		\Box			\Box	T		1									and spec	to t
GTE Svivania/Mattol Advocant	Exhibit C - Mattel Specification	* Specifications and Sources,	IDENTIFYING NO.	2609-9109																	will be incorporated into this
2	Exh	List,	UNIT	Ea.	T	П	T	П	1.	П	T		1			T		T			B. BUY
		t Li		1	++	+	+	+	+	H	+	H	+	+	+	+	+	+	+	R. REFERENCE	
		Component	OTY/DASH	1	11		+	1	+	1	+	H	+	+	+	+		+	-	- REAL	
		dwo			IT				•		T									RE	000
		- 1						П			T	П	T								0
		3	ITEM	-	IT	11	1	II	1	IT	1	1	T							KEY	

Component List, * Specifications and Sources, (continued)

(continued	Pa	continued
NOMENCLATURE OR DESCRIPTION	KEA BEK	KEA
Spring	Sprin	2609-4269 Sprin
Pushnut	Pushn	0405-0852 Pushn
Glamour Cap	Glamo	2609-2139 Glamo
Washer,	Washe	- Washe
Antenna	Anteni	2609-9599 Anteni
Antenna	Antenr	2609-9609 Antenr
Label	Label	2611-0340 Label
Hand Controller		
Power Supply Board Assembly Per G.I. Parts List #39-14	Power .	2609-9539 Power :
Logic Board Assembly		
pecifications on pleted by Mattel		

1	1		0/0	П	П	П	T	П	T	T	П	T	T	T	П	T	T	П	T	П	П	T		
		_0F_1	5	\parallel	H	\parallel	\dagger		+	t		1	+			+	\dagger		+	H	H	+		OF 21
	- LABELLED	SHEET	TED SOURCE																					SHEET 8
	CONSOLE COVER		SAOOR																				993	
92			NOIL	П									T										2609-9993	
AN	TITLE	REV.	ESCRIPT			P																	PL_	REV.
Page C8 of 27 Pages		(continued)	NOMENCLATURE DR DESCRIPTIDN	Label - Plain	Label - Controls	Console Cover - Painted																	Ifications c ted by Matte	s Exhibit in accord- i Changes.
+	lon	55,	KEA		\Box		T						T			1	1		\top	11			and spec	sign
a owo	cati	Sources,	REK		П	П	I		I	I			I	I			I			П			and a	oto,
GTF Sylvania/Mattel Agreement		* Specifications and So	IDENTIFYING NO.	2609-0320	2609-0330	2609-6119				-													*Detailed drawings	will be incorporated into this ance with paragraph 13, Design
9	Exh	List,	TINO	Ea.	Ea.	Ea.			1								1			П			CEHOUSE	B. BUY C. CONSIGNED
				-	1-1	-			T	Τ		1				1	T						R. REFERENCE	IGNE
		Component	OTY/DASH		П				I				I				I						FFE	DY
		Com		1	11	+	-		1	-	Ц	1	1	1		1	1						2 3	- B
		<u>:</u>			+	++	+	H	+	+		-	+	+	H	+	+	H	+	1	+	+	>	⊕ ⊖
	**	-	ITEM	-	2	13			1	1		-	-	1		1	1				11		KEY:	

		-	0/0					I	П	I					1					21
2609-6119	Console Cover - Painted	SHEET	SUGGESTED SOURCE																93	SHEET 9 OF
AN		R EV	RIPTION																2609-9993	REV.
age C9 of 27 Pages		(continued)	NOMENCLATURE OR DESCRIPTION	Paint	Console Cover														cifications on these PL etc. by Mattel and	s EXhibit in accord- n Changes.
La.	ntion		KEA		1	Щ		1	П	I	П	I			T				and spe	th1 es ig
	eeme	Sources,	REK	+	H	+	H	+	H	+	H	+	+	H	+	H	H	H	and be c	into 3, D
	GIE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	* Specifications and So	IDENTIFTING NO.	1	2609-2119														*Detailed drawings	will be incorporated into thi ance with paragraph 13, Design
	Exh	List,	UNIT	A/R	Ea.	T	П	1.	П	T	П	Т	T	П	T	IT	П		- Suse	G. CONSIGNED
		it Li		A/IE A		++	+	+	H	+	H	+	+	H	+	+	+		R=REFERENCE	SNED
		Component	OTY/DASH			11	\Box	1		\perp					\top				FER	NSIC
		Count			Ш	\Box	П	T	П	T	П		П		T				RE	. CO
		1.)				++	+	+	H	+	H	+	+	H	+	-	+	H	KEY: R	80
		_	ITEM		2														×	

		0/0			Ш		П	П	П	II						21
2609-9059 Hand Controller Assembly	SHEET	SUGGESTED SOURCE			Chomerics				Shakeproof Hi-Lo						993	SHEET 10 OF
AN 2609	REV.	ESCRIPTION	Assembly w/				ay	Subassembly							PL 2609-9993	RFV -
Page C10 of 27 Pages	(continued)	NOMENCLATURE OR DESCRIPTION	Controller Cable Asse	Housing, Lower	Circuit Matrix	Push Buttons	Disc - Control W/Inlay	Housing - Upper Subas	Screw, 5-20 x 7/16"	Compresnion Spring					cificallons on these eted by Mattel and	C
t on		KEL		+	H	+	+	+	++	+	H	H	+		spec mple	this
ati	Sources,	REK							\Box	11					and spe	to
GTE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	* Specifications and So	IDENTIFYING NO.	. 5609-9579	2609-2059	2609-9589	2609-2099	2609-9089	2609-9069	0405-0842	0405-4279					*Detailed drawings components remain to b	
Exh	List,	UNIT	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	П				E OUSE	B. BUY
	ıt L		-	1-	-	2	+	++	4	+	+	H	++		R.REFERENCE M. MAKE IN HO	ME
	oner	ASH				++	11	++	++	++	11			HH	H E E	Y
	Component	OTY/DASH				11	11	11	11	11	11	\Box			REI	000
	ن					T	T		T	TT	11				7 23	86
		ITEM		A CONTRACTOR OF THE PARTY OF TH											KEY:	

Momentary Connector - Controller, 9 Pin Connector - Console, 10 Pin, Molex Card Edge Card Edge Ferrite Bead; .20" ID, .38" 0D, Fair-Rite #263000801 Fair-Rite #263000801 Ferrite Bead; .20" ID, .38" 0D, Fair-Rite #263000801	GTE Sylvania/Mattel Agreement Exhibit C - Mattel Specification
Connector - Controller, 9 Pin Connector - Console, 10 Pin, Connector - Co	List, * Specifications and Sources,
Connector - Controller, 9 Pin Connector - Console, 10 Pin, Connector - Co	UNIT IDENTIFYING NO. REY
Connector - Controller, 9 Pin Connector - Console, 10 Pin, Card Edge Ferrite Bead; .20" ID, .38" OD, Same In accord- Card Edge Fair-Rite #263000801	Ea. 2609-9569
Connector - Console, 10 Pin, Molex Card Edge Ferrite Bead; .20" ID, .38" 0D, Fair-Rite #263000801 Figure Figure Fair-Rite #263000801 For Pine #2630008	Ea. 2609-9469
Card Edge Ferrite Bead; .20" ID, .38" OD, Fair-Rite #263000801 19" L 19" L 11" Cations on these Exhibit in accord-Refer Changes. REV. —— SHEET II OF.	Ea. 2609-9479
Ferrite Bead; .20" ID, .38" OD, Fair-Rite #263000801 - 19" L - 1	
If cations on these ted by Mattel and Exhibit in accord-REV. ————————————————————————————————————	Ea
Ifications on these ted by Mattel and Exhibit in accord- Ghanges. SHEET 11 OF.	
Ifications on these ted by Mattel and Exhibit in accord-Ghanges.	
ifications on these ted by Mattel and Exhibit in accord-Ghanges.	
Ifications on these Exhibit in accord- REV. — SHEET 11 OF	
Ifications on these Exhibit in accord-Changes.	
ifications on these ted by Mattel and Exhibit in accord-Changes.	
Ifications on these ted by Mattel and Exhibit in accord-Changes.	
Ifications on these ted by Mattel and Exhibit in accord-Changes.	
ifications on these ted by Mattel and Exhibit in accord-Changes.	
frications on these ted by Mattel and Exhibit in accord-Changes.	
ted by Mattel and Exhibit in accord-Changes.	
ted by Mattel and Exhibit in accord- REV. — SHEET 11 OF.	
Exhibit in accord-	*Detailed drawings components remain to b
	O. CONSIGNED ance with paragraph 13, Des

Component List, * Specifications and Sources, (continued) OTYPOASH UNIT IDENTIFYING NO. 22 D NOMENCLATURE OR DESCRIPTION TILE DISC. OTYPOASH OTYPOASH UNIT IDENTIFYING NO. 22 D NOMENCLATURE OR DESCRIPTION TILE DISC. OTHER FOR THE PROPERTY OF THE P				٢	GTE Culumbala Mattel Anno		י בשל כזר כז דו משפש	AN		-
Teal				Exh	ibit C - Mattel Specific	atio			- Control	
1 Ea. 2609-2039 DISC - CONTYO] 1 Ea. 2609-2039 DISC - CONTYO] 1 Ea. 2609-2039 DISC - CONTYO] DISC - CONTYONED		Сощроп	ient i			rces		REV.		
1 Ea. 2609-0309 Disc - Control 1 Ea. 2609-0310 Inlay 2 Ea. 2609-0310 Inlay 3 Ea. 2609-0310 Inlay 4 Ea. 2609-0310 Inlay 5 Ea. 2609-0310 Ea. 2609-0310 6 Ea. 2609-0310 Ea. 2609-0310 7 Ea. 2609-0310 Ea. 2609-0310 8 Ea. 2609-0310 Ea. 2609-0310 9 Ea. 2609-0310 Ea. 2609-0310 9 Ea. 2609-0310 Ea. 2609-0310 1 Ea. 2609-0310 Ea. 2609-0310 2 Ea. 2609-0310 Ea. 2609-0310 3 Ea. 2609-0310 Ea. 2609-0310 4 Ea. 2609-0310 Ea. 2609-0310 5 Ea. 2609-0310 Ea. 2609-0310 6 Ea. 2609-0310 Ea. 2609-0310 7 Ea. 2609-0310 Ea. 2609-0310 8 Ea. 2609-0310 Ea. 2609-0310 9 Ea. 2609-0310 Ea. 2609-0310 1 Ea. 2609-0310 Ea. 2609-0310 2 Ea. 2609-0310 Ea. 2		DTY/DA	SH	UNIT		-		DESCRIPTION	TED SOURC	
1 Ea. 2609-0310 Inlay	-		-	Ea.	2609-2089					+
A REFERENCE * *Betailed drawings and specifications on these www.make in house components remain to be completed by Mattel and Beauty Mill be incorporated into this E highlist in acond-more with paragraph 13, besign dhanges. REV. — REV. — SHEET 12 OF	2	\parallel	-	Ea.	2609-0310	#	Inlay			\parallel
RABETERIOR WARKE IN HOUSE WITH De completed by Mattel and Below Warke IN HOUSE WITh De incorporated fine this Entitle in accord. REV.—— SHEET 12 OF S	+									
R. REFERENCE **Detailed drawings and specifications on these **MAKE IN HOUSE Components remain to be completed by Mattel and MAKE IN HOUSE Components remain to be completed by Mattel and MAKE IN HOUSE Components are with paragraph 13, Design Changes. **SHEFT 12 OF SHEET 12 OF SH	+	+				+				1
R*REFERENCE *Detailed drawings and specifications on these *The first of the specifications on these *The first of the first o	H									
R. REFERENCE *Detailed drawings and specifications on these ##AMKE IN HOUSE Components remain to be completed by Mattel and ## B. PL 2609-993 ##AMKE IN HOUSE Will be incorporated into this Enhibit in accord- 6-CONSIGNED are with paragraph 13, Design Changes. REV. ————————————————————————————————————	+									1
*Betalled drawings and specifications on these will be incorporated into this E'Milat in accord. *BEBLY *BREERINGE *BELY *AMAKE IN HOUSE *MILL SHOWN AND AND AND AND AND AND AND AND AND AN	+	+	T			1				-
## REFERENCE *Detailed drawings and specifications on these components remain to be completed by Mattel and ance will be incorporated into this Enibit in accordance will be incorporated into this Enibit in accordance will be incorporated into this Enibit in accordance. PL 2609-9993	H		П							
*Detailed drawings and specifications on these *Detailed drawings and specifications on these components remain to be completed by Mattel and ## MAKE IN HOUSE COMPONENTS TO BE BOX OF COONSIGNED ance with paragraph 13, Design Changes.	+	+				+				1
**REFERENCE **Detailed drawings and specifications on these mill be incorporated into this E'hibit in accord- ance with paragraph 13, Design Changes.	+	+	1			+				+
*Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this E hibit in accordance with paragraph 13, Design Changes.	H		П							
**Betailed drawings and specifications on these make in House components remain to be completed by Mattel and mill be incorporated into this E hibit in accordance with paragraph 13, Design Changes.	+	+	1			+				1
*Detailed drawings and specifications on these *Detailed drawings and specifications on these will be incorporated into this E'hibit in accordance with paragraph 13, Design Changes.	+	+	1	1		+				1
**REFERENCE **Detailed drawings and specifications on these will be incorporated into this E'hibit in accordance will be incorporated into this E'hibit in accordance with paragraph 13, Design Changes.	+	+	T			+				
*Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this E hibit in accordance with paragraph 13, Design Changes.	H		П							
R*REFERENCE *Detailed drawings and specifications on these will be incorporated into this E'nibit in accordance of ance with paragraph 13, Design Changes.	+					+				
R*REFERENCE *Detailed drawings and specifications on these will be incorporated into this E hibit in accordance with paragraph 13, Design Changes.	+		T			+				
R*REFERENCE *Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this E hibit in accordance of the paragraph 13, Design Changes.	+					+				
R*REFERENCE *Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this E hibit in accordance of ance with paragraph 13, Design Changes.	+					1				H
ance with paragraph 13, Design Changes. REV. — SHEET 12 OF	EY: R	REFE	REN	CEHOUSE	*Detailed drawings	nd s	cifications on eted by Mattel	1!	9993	$\ \ $
	80	CONS	SIGNE	0	will be incorporated ance with paragraph 13	to t Des	s Echibit in n Changes.	RFV	١.	

COMPONENT LIST, * Specifications and Sources, (continued) OTVOASH UNIT DEWTIFYING NO. DE DE NOMENCLATURE OR DESCRIPTION 1 Ea. 2609-2079 Frame				Exi	GTE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	ment		Page Cl3 of 27 Pages AN TITLE	Housing - Upper	. Subassembly	
1 Ea. 2609-2059 Housing - Upper Frame	1.)		ponent	List,	* Specifications and Sou	ırces				-	-
1 Ea. 2609-2069 Frame 1 Ea. 2609-2079 Frame 1 Ea. 2609-2079 Frame 1 Ea. 2609-2079 Frame 1 Ea. 2609-2079 Frame 2 Ea. 2609-2079 Frame 3 Ea. 2609-2079 Frame 4 Ea. 2 Ea.	TEM	A D	разн	UNIT	IDENTIFYING	-	KEA	NOMENCLATURE OR DESCRIPT		STED SOURC	0/0
1 Ea. 2609-2079 Frame Fr	-	H		Ea.	2609-2069		1				Н
R-REFERENCE W-MAKE IN HOUSE Components remain to be completed by Mattel and will be incorporated into tills Exhibit in accordations will paragraph 13, best growth and will paragraph 13, best growth and so considered to the paragraph 13, best growth and will paragraph 13, best growth and so considered to the paragraph 13, best growth and will paragraph 14, best growth and will be will	2	H	\exists	Ea.	2609-2079		+	Frame			Н
RABEREROSE WARAKE IN HOUSE Components remain to be completed by Mattel and Babby Mattel and Mill be incorporated into this Exhibit in accord- Babby Mattel and Ance with paragraph 13, Doesign Changes REV. — SHEET 13 OF		+	+				+				4
R-REFERENCE *Detailed drawings and specifications on these N. MAKE IN HOUSE Components remain to be completed by Mattel and B. BUY B. B	П	H	H			\dagger	+				Н
R*REFERENCE **Notabled drawings and specifications on these R* Amare IN House Components remain to be completed by Mattel and Mattel and Marke IN House Components remain to be completed by Mattel and Mattel a	T	+	1			+	+				4
R*REFERENCE **Potalled drawings and specifications on these **Potalled drawings and specifications on these components remain to be completed by Mattel and B**BUY and Marke IN HOUSE components remain to be completed finto this Exhibit in accordance of the paragraph 13, Dos Jon Changes. **Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on these of the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph 13, Dos Jon Changes *Potalled drawings and specifications on the paragraph	T	+	+			+	+				+
R*REFERENCE **Detailed drawings and specifications on these **MAKKE IN HOUSE Componented by Mattel and Marke IN HOUSE Will be incorporated into this Exhibit in accordate and with paragraph 13, Des fun Changes. **REFERENCE **Detailed drawings and specifications on these Marke IN HOUSE Components **Appendix 13		H		ŀ			H				Н
R*REFERENCE **Detailed drawings and specifications on these components remain to be completed by Mattel and an expense of this Exhibit in accordance with paragraph 13, Design Changes. **PREFERENCE **Detailed drawings and specifications on these components remain to be completed by Mattel and an expense of the considerable o		+					H				Ц
R*Reference *Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this Exhibit in accord- ance with paragraph 13, Design Changes.	T	+	+			+	+				+
**Reference **Detailed drawings and specifications on these components remain to be completed by Mattel and Marke in House components remain to be completed by Mattel and Barby ance with paragraph 13, Design Changes.	T	+	+			+	+				+
**REFERENCE **Detailed drawings and specifications on these No make in House components remain to be completed by Mattel and will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.	T	-				+	+				Ļ
*Detailed drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.		+					H				Ц
*Detailed drawings and specifications on these *Detailed drawings and specifications on these **Mere in House components remain to be completed by Mattel and will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes. **Reference **Detailed drawings and specifications on these will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.	T	+	+			+	+				1
*Detailed drawings and specifications on these *M**MAKE IN HOUSE **Components remain to be completed by Mattel and **MAKE IN HOUSE **Components remain to be completed by Mattel and **MAKE IN HOUSE **MAKE IN HOU	T	+	+			1	+				1
*Detalled drawings and specifications on these components remain to be completed by Mattel and will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.		H					H				Ц
R*REFERENCE *Detailed drawings and specifications on these M** MAKE IN HOUSE Components remain to be completed by Mattel and Will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.	1	+					-				_
R*REFERENCE *Detailed drawings and specifications on these will be incorporated into this Exhibit in accordance with paragraph 13, Design Changes.	1	+	1			+	+				1
R.REFERENCE *Detailed drawings and specifications on these will be incorporated into this Exhibit in accord- ance with paragraph 13, Design Changes.	П	+				+	+				\perp
R.REFERENCE *Detailed drawings and specifications on these will be incorporated into this Exhibit in accordance of ance with paragraph 13, Design Changes.			+				+				Ц
R. REFERENCE *Detailed drawings and specifications on these No. Make in House components remain to be completed by Mattel and Will be incorporated into this Exhibit in accordance of ance with paragraph 13, Design Changes.		H					H			***************************************	Н
*Detailed drawings and specifications on these M: MAKE IN HOUSE Components remain to be completed by Mattel and Will be incorporated into this Exhibit in accordance of ance with paragraph 13, Design Changes. *BL 2609-9993 *CONSIGNED Ance with paragraph 13, Design Changes.							-				
ince with paragraph 13, Design Changes. REV. — SHEET 13 OF	EY:	R. R.	EFERE IN	NCE	*Detailed drawings	s pui	pec	ns on these	2609-9993		
		: B	DY	ED	ance with paragraph 13,	Des	Ign	=		ET 13	21

11	2	C/C			II									21
Z609-9539 Power Supply Board Assembly	SHEET 1 OF	SUGGESTED SOURCE	Signetics, TI, National, Fairchild, Motorola, NEC	Signetics, TI, National, Fairchild, Motorola, NEC	GI, TT	NPC, Motorola, Siemens, Fairchild, NEC	United Chemi-Con #16TAL10000, Nichicon, Elna, Illinois Cap.	United Chemi-Con #25TAL100, Elna, Nichicon, Illinois Cap.	Centralab Type 2DDU, Erie Transcap, Dilectron Type RT, Murata, KCK	Airco, R-Ohm, ICC	United Chemi-Con #35TAL1000, Elna, Nichicon, Illinois Cap.	UID #SW432-SD-LO-S-B1-JK		SHEET 14 OF
AN	REV.	DESCRIPTION	Voltage TO-220 Package	Voltage TO-220 Package	ler, 1 Amp. 50V	3.3V, 5%, 500 mW	10,000 uF, a1	00 uF,	, 0.1 uF, 20%	220 Ohm, 5%, 12W	1000 uF, al	de	PL 2609-9993	RFV
Page L14 of 27 Pages	(continued)	NOMENCLATURE OR DESCRIPTION	LL1 - 7805C Positive N Regulator, 5V ±5%, TO	IC2 - 7812C Positive Voltage Regulator, 12V ⁴⁵ %, TO-220	B1-D8: IN4001, Rectifier,	D9 - IN746A, Zener, 3.	C1 - Aluminum Cap., 10 10+100%, 16V, Axial	C2 - Aluminum Cap. J.100 -10 100%, 5V, Axial	C4,5,6 - Ceramic Cap., 15V, Z5U, Radial	GI - Carbon Film, 220	C3 - Aluminum Cap., 10 1.10#100%, 25V, Axial	Power Switch, 3PST Slide		
o t		KEA		111	1				#		1)	+		Des ign
emen	Sources	REK			П	Ш							and spe e compl nto thi	De.
GTE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	* Specifications and	IDENTIFYING NO.											*Detailed drawings components remain to b will be incorporated i	
EXI	List,	UNIT	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	Ea.	R. REFERENCE M. MAKE IN HOUSE B. BUY	0
	1t L		-		. 8	-	-	-	6	-	-	-	R. REFERENCE M. MAKE IN HO B. BUY	CONSIGNED
	Component	OTY/DASH				1	1				1111	-	FER	NSIC
	Comp												MA	00
					+	\prod		\prod						ပ်
	1 (ITEM		2	8	4	2	9		8	6	.10	KEY	

1		2	0/0		\prod	\prod	IT	I			21
2609-9539	Power Supply Board Assembly	SHEET 2 OF	SUGGESTED SOURCE	American Electric Cable, Teledyne Thermatics	Amp #640383-5, Molex KK.156" Series	AMP #640383-6 Molex KK.156" Series	Thermalloy #60718	Keystone		993	SHEET 15 OF.
AN	TITLE	REV.	ESCRIPTION	Stranded	5 pin, to	, 6 Pin to	Package		12.2 Sq. fn.,	PL 2609-9993	REV.
Page C15 of 27 Pages		(continued)	NOMENCLATURE OR DESCRIPTION	Wire, 22 AWG, 7/30 Str	Connector, P/C Header, Transformer	Connector, P/C Header, Logic Board	Heatsink for TO-220 Pa	Rivet	P/C Board, NEMA Grade Thick, Single-sided, Bare Copper Circuit	and specifications on these	Exhibit in accord- Changes.
	ent		KEA							1 spec	es ign
	reeme	Sources	REK			++	H	H		s and	13, D
	GIE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	* Specifications and	IDENTIFYING NO.							*Detailed drawings and specifications on	
	Exh	List,	UNIT	Ft.	Ea.	Ea.	Ea.	Ea.	Ea.	SE TOUSE	Q
		ent L		6	I	. –		2	-	RENG	IGNE
		Component	OTY/DASH							R. REFERENCE M. MAKE IN HOUSE	B. BUY C. CONSIGNED
		1.)	ITEM	=	12	13	14	15	91	KEY	

	5	GTE Sylvania/Mattel Adreement	ment		AN		
	Exh	Exhibit C - Mattel Specification	ation		TITLE	Logic Board Assembly	
Component	List,	* Specifications and Sou	Sources,	(continued)	REV.	SHEET 1 OF	9
QTY/DASH	UNIT	IDENTIFYING NO.	KEA	NOMENCLATURE OR DESCRIPTION	ESCRIPTION	SUGGESTED SOURCE	0/0
2	Ea.				on Film,	Airco, R-Ohm, ICC	Ц
\pm			\pm	1K Ohm, 5%, 4W		*	1
	Ea.		\pm	R2 - Resistor, Carbon Film,	Film, 47 Ohm		Ц
			\pm	5%, 14W			Ц
+	Ea.		+	R4 - Resistor, Carbon	Film, 300 Ohm		\perp
			Н				Ц
+			+				1
2	EA.		\pm	R7,8 - Resistor, Carbon	n Film, 3.3K		1
+			\pm	UIIII, 3,69 %W			1
	Ea.		t	R9 - Resistor, Carbon	Film, 560 Ohm		L
			Н				Ц
1			1				
+	Ea.		+	R10 - Resistor, Carbon	Carbon Film, 10K Ohm,		1
+			\pm				1
	Ea.		H	R11 - Resistor, Carbon Film,	Film,		Ц
+			+	100 Otim, 5%, 14W			1
1	5		\pm	012 14 92 Doctoton	Cashen [41]		1
1			H	Ohm, 5%, 1	100 100		
			1			>	
	Ea.		+	1	Film, 470 0hm	Airco, K-Ohm, ICC	1
\parallel			H	W 570			Ц
R.REFERENCE	NCE	*Detailed drawings	and spe	cifications of eted by Matte	PL 2609-9993	1993	
ONSIGN	B= BUY C= CONSIGNED	ance With paragraph 1	into uni 3. Desig	on Changes.	BFV	Sucet 16 OF	21

		GTE	GTE Sylvania/Mattel Agreement Exhibit C - Mattel Specification	eemen	Page CI/ of 2/ Pages t	AN TITLE	2609-9519 Logic Board Assembly	
1.) Component	ent L	List, *	Specifications and	Sources,	s, (continued)	REV.	SHEET 2 OF	9
ITEM OTY/DASH		TINI	IDENTIFYING NO.	REK	NOMENCLATURE OR DESCRIPTION	ESCRIPTION	SUGGESTED SOURCE	0/0
10		Ea.			Ohm, 5%, 4W	Film, 2.2K	Airco, R-Ohm, ICC	Ш
		Ea.			R18 - Resistor, Carbon Film, Ohm, 5%, 4W	Film, 200K		
12	1-11	Ea.		111	R30 - Resistor, Carbon 5%, 4W	Carbon Film, 150 Ohm		Ш
13	6	Eà.		\Box	R3, 6, 15 - Resistor, (TBD, 5%, 4W	Carbon Film		
14	8	Ea.		\Box	R19, 20, 21 - Resistor, TBD, 5%, ¼W	, Carbon Film		Ш
15	3	Ea.		\prod	R22, 26, 27 - Resistor, TBD, 5%, %W	, Carbon Film	Airco, R-Ohm, ICC	Ш
16	3	Ea.			R24,25,28 - Potentiometer, 20%, ¼W @ 55 ^O C, 270 ^O Rota Mount, .65" Dia., Open Con	otentiometer, Carbon, OC, 270 ⁰ Rotation, P/C Dia., Open Construction	Piher PT 15YD, Stackpple, CTS	1111
17		Ea .			R29 - Potentiometer, Ca 20%, 4W @ 55°C, 270° F Mount, .65" Dia., Oper	er, Carbon, TBD, 270 ⁰ Rotation, P/C , Open Construction	Piher PT 15YD, Stackpole, CTS	
KEY: R.REFERENCE M. MAKE IN HOUSE B. BUY C. CONSIGNED	ERENC E IN HI		*Detailed drawings and spe components remain to be compl will be incorporated into thi ance with paragraph 13, Desig	and s be con into t	cifications on these eted by Mattel and s Exhibit in accord- n Changes.	PL 2609-9993	3993 SHEET 17 OF	21

Agreement cification d Sources, (continued) C1 - Ceramic Cap., 20pf NPO, Radial C25 - Ceramic Cap., 100 NPO, Radial C25 - Ceramic Cap., 100 NPO, Radial C27,28,30 - Solid Tanta 10uf, 20%, 35V, Radial C27,28,30 - Solid Tanta C27,28,30 - Solid Tanta C27,28,30 - Solid Tanta C27,28,30 - Solid Tanta D1 - Rectifier, IN4001, Z5U, Radial Q1,2 - 2N3906, PNP Smal	Agreement cification d Sources, (continued) C1 - Ceramic Cap., 20pf. NPO, Radial NPO, Radial NPO, Radial C25 - Ceramic Cap., 100pf NPO, Radial C25 - Ceramic Cap., 100pf NPO, Radial C27,28,30 - Solid Tantalu C27,28,30 - Solid Tantalu	Page C18 of 27 Pages Page C18 of 27 Pages Exhibit C - Mattel Specification Fig.
		GTE Sylvanfa/Mattel Age Exhibit C - Mattel Specifications and GTY/DASH UNIT IDENTIFYING NO. 1 Ea. 1 Ea. 20 Ea. 2 Ea. 3 Ea. 3 Ea. 1 Ea. 1 Ea. 1 Ea. 1 Ea. 2 Ea. 3 Ea. 3 Ea. 4 Ea. 5 Ea. 5 Ea. 5 Ea. 5 Ea. 5 Ea. 6 Ea. 7 Ea.
	E E E E E E E E E E E E E E E E E E E	

11.) Con 11 26 27 27 29 29 30	Component OTY/DASH		GTE Culvania/Mattal As	Agreement	ut			
	ponen/		t C - Mattel Spe	ficat	ion	TITLE	Logic Board Assembly	1
	/DASH	t List,	* Specifications and	Sources,		(continued)	SHEET 4 OF	9
26 27 28 29 30	F	UNIT	IIT IDENTIFYING NO.	REK	KEA	NOMENCLATURE OR DESCRIPTION	SUGGESTED SOURCE C	0/0
27 28 29 30		1 Ea.		H		Q3 - 2N3904, NPN Small Signal Trans.	1-1	
27 28 29 30	1	+		+	I		NEC	
28 29 30	Ħ	1 Ea.	3.	+	ပ	IC1 - CP1610, uP	19	
29		1 Ea.		+	U	IC2 - RA-3-9600, RAM	19	11
30.		1 Ea.	1	+	U	IC3 - RO-3-9504, 2KX10 ROM	19	
		- L		+	U	IC4 - AY-3-9600, STIC	19	
31		1 Ea	а.	+	Ü	IC5 - RO-3-9503, 16K ROM	61	
32		Ea		+	U	IC6 - AY-3-8910, PSG	19	
				H				
33		Ea		+	ပ	IC9 - RO-3-9502, 2KX10 ROM		1
34		1 Ea	• 1	H	ပ	IC10 - AY-3-8915, Color	19	
35	100	3 Ea		+		IC7. 8. 12 - 256x8 RAM	FMM-Semi 3539 UCP	
36		+		H	11			1.
92		La	i .	H		ICII - 7406, Hex Inverter	Signetics, NEC	
37		1 Ea		+++		IC13 - 74LS08, Quad and Gate	Fairchild, Natienal, TI, Signetics, Motorola	
KEY: R = R	R * REFERENCE	ENCE		s and		these DI	2609-9993	
	M* MAKE IN HOUSE B* BUY C* CONSIGNED	N HOL	ance with paragraph 13, Design	Into		s Exhibit in accord-	SHEET 19 OF 21	11_1

Component List, * Specifications and Sources, (continued) REV. Component List, * Specifications and Sources, (continued) REV. REV. Component List, * Specifications and Sources, (continued) REV. REV. Component List. Component L

	1			-					1	Page C21 of 27 Pages	AN	2609-9519	
					ш	exhibit C -	use Sylvania/Mattel Agreement Exhibit C - Mattel Specification	ati	ton	0.50	TITLE	Logic Board Assembly	1
-		00	Ochu	Component	t List,	*	Specifications and Sou	Sources,		(continued)	REV.	SHEET 6 OF	9
ITEM		5	9/4	OTY/DASH	UNIT		IDENTIFYING NO.	REK	KEL	NOMENCLATURE OR DESCRIPTION	SCRIPTION	SUGGESTED SOURCE	0/0
20			1	+	1.5 Ft.					Wire, 22 AWG, 7/30 Stranded	nded	American Electric Cable, Teledyne Thermatics	
51		++	++	+++	Ea.				T	P/C Board, NEMA Grade CEM-1	EM-1, .062"		П
	-	++	++	++	+			II	TT	In. Solder Mask One Side, plan, Dated Conner Circuit	de, Solder		П
	++	++	++	+	\parallel			П	T	riated copper circuit			П
	_	+	+	+	1			T					
		+	+	+									
	11	+	+	+									
	-	+	+	+	+								
	1	+	+	+	-				II				
	1	+	+	++	1				T				
		+	+	+									
		-	-	+	+								1
		+	+++										
KEY		- 23	AAK AAK	- Ru	R*REFERENCE M*MAKE IN HOUS		*Detailed drawings and spe	and spe	Spe	cifications on these eted by Mattel and	PL 2609-9993	993	
		B	SON	1816	B. BUY C. CONSIGNED		be incorporated into thi with paragraph 13, Desig	oto De	th s fgi	-puooo	REV.	SHEET 21 OF	21
										W. Da. Martin (M. Martin) (M.	And the state of t	The property and the second of	


Mattel Specifications (Continued)

2.)	Schematics:	<u>Title</u>	Drawing No.	Date	Rev.
	Mats	tel Logic Board	39-133	9/26/78	L
	Mattel F	Power Supply Board	i 39-125	9/26/78	E


- 3.) Product Performance and Reliability Specification presently being developed by Buyer for subsequent inclusion in this Exhibit "C" in accordance with paragraph 13 "Design Change".
- 4.) Product "burn-in" requirements being developed between Buyer and Seller and incorporated in these specifications in accordance with paragraph 13 "Design Change" to assure that, due to the "infant (premature/early) mortality" expected with the electronic components used in the Product, Product failure rate does not exceed half (0.5) percent during ninety (90) days of Product usage.
- 5.) Supplementary Product Characteristics:
 - a.) Printed circuit board material is .062" NEMA Grade CEM-1. The Logic board has one (1) ounce of copper on two sides. The Power Supply board has one (1) ounce copper on one side.
 - b.) The basis for in-process and final Quality Assurance acceptance is the Video Games Workmanship Criteria shown in this Exhibit C.
 - c.) Buyer will furnish the film for all instructions, packaging, and labeling.
 - d.) UL labeling is an integral part of the Console Base, P/N 2609-2109.
 - e.) Product serialization will be by way of a label affixed to the Console Base, P/N 2609-2109.
 - f.) The Master Carton, P/N 2609-0930, does not require palletization for shipment.
 - g.) The five (5) leads exiting the transformer, P/N 2609-9549, are terminated by a press-on type connector.
 - h.) The Controller Cables, P/N 2609-9569, are terminated on both ends, by a presson type connector.
 - i.) Eight (8) integrated circuits are mounted on the circuit board via sockets.
 - j.) Circuit boards are in conformance with Seller's requirements for automatic insertion of components.
 - k.) All components are specified to operate over the temperature range of 0°C to 40°C.
 - 1.) Mattel consigned Chips will be interchangeable, i.e. any Chip of a particular type may be replaced by another Chip of the same type without affecting Product performance.

Mattel Specifications (Continued)
Video Games Workmanship Criteria

- 1.0 Solder Requirements:
 - 1.1 Single Sided Printed Circuit Boards.
 - 1.1.1 A minimum of 75% of the lead circumference must exhibit a good solder flow and have a properly formed fillet, and otherwise be free of pin or blow holes.



- 1.2 Double Sided Printed Circuit Boards.
 - 1.2.1 A minimum of 50% of the lead circumference must exhibit a good solder flow on both sides of the printed circuit board, and otherwise be free of pin or blow holes.




Good Fillet and Solder Flow Top and Bottom of Holes Good Fillet on Solder. Side Lead is Discernible In Solder

Excessive Solder

UNACCEPTABLE




Acceptable Filler on Both Sides Lead is Discernible in Solder





Acceptable Fillet on Component Side



Void Next to Lead and Less Than 50% Fillet

Mattel Specifications (Continued)

Video Games Workmanship Criteria

1.3 Lead Protrusion

1.3.1 Component lead protrusion on the solder side of the P.C.Board shall be of such maximum length to provide a minimum electrical clearance of 0.006" between adjacent circuitry and mechanical components during normal manufacturing handling; but in any event shall not exceed 0.125" beyond the P.C. Board.

1.4 Cold Solder Joints

1.4.1 Solder joints with a dull gramular appearance caused by movement during the solder cooling or insufficient heating of the solder joints are not allowed.

2.0 Component Mounting

2.1 Components preferably shall be mounted parallel to and in contact with the printed circuit board.

2.2 Component Leads.

- 2.2.1 Preferred No visible lead damage. Lead bend is made at least 1/32 inch from component body or lead weld.
- 2.2.2 Acceptable Lead bend minimum distance from lead weld or component body less than 1/32 inch and component seal is undamaged.
- 2.2.3 Reject Lead has been formed too close to the lead weld or component body, less than 1/32 inch resulting in damage to component seal.

.2.3 Component Alignment.


2.3.1 Preferred -

Longitudinal, axis of component parallels surface of board.

Component is flush with surface of board.

Uniform spacing between components.

Components are aligned.




Mattel Specifications (Continued)

Video Games Workmanship Criteria

2.3.2 Acceptable -

Component body misalignment does not affect bend radius of lead.


*Note: Appearance item only. Does not justify risk of damage from rework.



2.3.3 Reject -

Misalignment does not allow minimum distance from bend to body of component.

Distance of component body from board is in excess of 1/16 inch.



2.4 Wire Prepar ation.

2.4.1 Nicked, severed, and scraped wire strands shall not exceed 10% of nearest rounded integer of total strands, e.g. 10% of 7 strands = (.7) = 1 strand.

GTE Sylvania/Mattel Agreement

Exhibit C

Mattel Specifications (Continued)

Video Games Workmanship Criteria

2.4.2 Preferred

Insulation has been removed from the conductor with no visible damage to the wire strands.


Normal lay of wire, if disturbed, shall be retwisted to the original wire lay.




Wire strands show evidence of a micked condition caused by stripped blades.

2.4.4 Reject

Wire strands are nicked and severed revealing base metal.







Mattel Specifications (Continued)

Video Games Workmanship Criteria

- 2.5 Cleaning Of Printed Circuit Assemblies.
 - 2.5.1 After cleaning, printed circuit assemblies will be visually inspected by the unaided eye, to assure that they are free from corrosive/conductive contaminants.
- 2.6 Workmanship inspection shall be performed with the unaided eye.
- 2.7 Mechanical
 - 2.7.1 Hardware (screws) shall be tight. The word "tight" is defined as "the screw can not be appreciably tightened further without damage or injury to the screw heads or plastic case".
- 2.8 Wire Termination
 - 2.8.1 Routing Leads shall be routed by the shortest practical route to avoid excessive lengths of wire and wire crossovers. The ends of all wires shall have sufficient slack to avoid breaking wires or solder connections due to strain or vibrations. No wire small be taut.
- 2.9 Switches and Push Buttons shall have adaquate clearance on all sides to permit free travel without mechanical interference or a functional failure.

GTE Sylvania/Mattel Agreement Exhibit D

Test Procedures and Specifications

Test Procedures and Specifications will be prepared by Buyer within 30 days of the date of this Agreement for mutual agreement between Buyer and Seller within 60 days of this Agreement. These shall fulfill at least the following requirements:

1. "Chips" Test System

- a. Buyer will provide Seller with a stand-alone "Chips" Test System at a cost to Seller of \$15,000 each. The Test System will test the "Chips" to the specification requirements of Exhibit C.
- b. The Test System will be correlated, at the time of delivery and periodically thereafter, with other "Chips" Test Systems belonging to the Buyer or its vendors.
- c. The Test System will test "Chips" in 180 seconds including handling time for the complement of eight (8) integrated circuits tested at one time.
- d. "Chips" that do not comply with the specifications of Exhibit C, or fail to pass the Test System, will be returned to Buyer or Buyer's vendor. "Chips" lots failing to meet a 0.65% AQL, as defined in MIL-STD-105 level 2, will be returned to Buyer or his vendor.
- e. "Chips" testing will be conducted at any ambient temperature within 25°C + 10°C/-5°C.

2. Product Testing

- a. Buyer will provide Seller with at least 25 special test cassettes at no cost to Seller for acceptance testing of the final product.
- b. Product test time will be 100 seconds including handling time.
- c. Seller will test all products prior to delivery to Buyer.
- d. Product will be tested at any line voltage within 120 volts 10 volts RMS and at any temperature within 25°C + 10°C/-5°C.
- e. Five (5) manual adjustments will be performed during product test: one (1) frequency adjustment and four (4) color adjustments.
- f. Successful passing of these product tests will constitute Buyer's acceptance of the product and will satisfy the requirements of the specifications of Exhibit C.

GTE Sylvania/Mattel Agreement

Exhibit E

Consigned Material

Part Number	Description	Quantity Per Assembly		
CP1610 µP IC1	Game Chip	* 1 + 3% for normal manufacturing attrition		
RA-3-9600 RAM IC2	Game Chip	* 1 + 3% " " "		
R0-3-9504 2K x 10 ROM IC3	Game Chip	* 1 + 3% " " "		
AY-3-8900 STIC IC4	Game Chip	* 1 + 3% " " "		
RO-3-9503 ROM IC5	Game Chip	*] + 3% " " " "		
RO-3-9502 2K x 10 ROM IC9	Game Chip	* 1 + 3% " " "		
AY-3-8915 Color IC10	Game Chip	* 1 + 3% " " "		
AY-3-8910 PSG IC6	Game Chip	* 1 + 3% " " "		
2610-9991	Football Cassette	1		

Specifications for the above material are not available to Seller at the time of this Agreement. These specifications and related components will accord with the specifications of Exhibits C and D.

Buyer's maximum liability for Seller damaged Chips will not exceed 3%. Seller will account to Buyer for all Chips delivered to it and will return defective or Seller damaged Chips to Buyer.

GTE Sylvania/Mattel Agreement

Exhibit F

Tooling and Components Therefrom

Mattel Tool Number	Mattel Component Number	Component Description
2609-T-501-1	2609-2119	Console Cover
2609-T-502-1	2609-2109	Console Base
2609-T-503-1	2609-2059 2609-2069	Lower Housing Upper Housing
2609-T-504-1	2609-2079 2609-2149	Frame Tray
2609-T-505-1	2609-2089 2609-2129 2609-2139	Control Disc Reset Button Glamour Cap
2609-T-506-1	2609-2099	Push Button

Start-up production requirements (up to 2500 pcs.) of the above components can be purchased from Mattel's tooling vendor.

EXHIBIT G

SCHEDULE OF CANCELLATION CHARGES (Per Paragraph 16B (v1))

If the Termination Date falls during the period described in Column A, the corresponding Cancellation Charges in Column B will be applicable:

in Column B will be applicable:		The state of the s
Column A Date or Event		Column B Cancellation Charges**
 Within the first 30 days following the date of this Agreement 		\$ 20,000
2. More than 30 but less than 61 days following the date of this Agreement		\$ 65,000
3. More than 60 but less than 91 days following the date of this Agreement		\$115,000
4. More than 90 but less than 121 days following the date of this Agreement or when between 1-250 units are delivered, whichever occurs first		A \$175,000 lump sum cancellation payment plus \$225.15 X No. of Units delivered to the "Termination Date".
5. More than 120 but less than 151 days following the date of this Agreement or when between 251-500 units are delivered, whichever occurs first		A \$350,000 lump sum cancellation payment plus \$225.15 X No. of Units delivered to the "Termination Date".
6. More than 150 but less than 181 days following the date of this Agreement or when between 501-4000 units are delivered, whichever occurs first		A \$462,575 lump sum cancellation payment plus \$23.21 per unit for the quantity of units delivered in excess of 500.
7. More than 180 but less than 211 days following the date of this Agreement or when between 4,001-15,000 units are delivered, whichever occurs first		A \$462,575 lump sum cancellation payment plus \$23.21 per unit for the quantity of units delivered in excess of 500.
8. More than 210 but less than 241 days following the date of this Agreement or when between 15,001-50,000 units are delivered, whichever occurs first		A \$799,000 lump sum cancellation payment plus \$0.40 per unit for the quantity of units delivered in excess of 15,000 up to 50,000 units
9. More than 240 but less than 271 days following the date of this Agreement or when between 50,001-150,000 units are delivered, whichever occurs first		A \$813,000 cancellation payment which will be amortized over the next 100,000 units, e.g. for each unit delivered in excess of 50,000, the \$81,000 cancellation payment is reduced by \$8.13. Thus, if 75,000 units are delivered, the cancellation charge would be \$813,000 - \$203,250 = \$609,750 plus the paragraph 16B(i)-(v) charges; if 100,000 units are delivered, the calculation would be \$813,000 - \$406,500 = \$406,500, plus the 16B(i)-(v) charges.
10. More than 270 but less than 301 days following the date of this Agreement or when between 150,001-200,000 units are delivered, whichever occurs first	ŧ	No cancellation payment but full reimbursement pursuant to the provisions of Paragraph 16B(i)-(v).
11. More than 300 but less than 331 days following the date of this Agreement or when between 200,001 300,000 units are delivered, whichever occurs first		No cancellation payment but full reimbursement pursuant to the provisions of Paragraph 16B(i)-(v).
12. More than 330 but less than 361 days following the date of this Agreement or when between 300,001*-400,000* units are delivered, whichever occurs first		No cancellation payment but full reimbursement pursuant to the provisions of Paragraph 16B(i)-(v).
13. More than 360 but less than 391 days following the date of this Agreement or when between 400,001 -500,000 mits are delivered, whichever occurs first		No cancellation payment but full reimbursement pursuant to the provisions of Paragraph $16B(i)$ -(v).
14. More than 390 but less than 411 days following the date of this Agreement or when between 500,001*-600,000* units are delivered, whichever occurs first.	±10	No cancellation payment but full reimbursement pursuant to the provisions of Paragraph $16B(i)$ - (v) .

*Optional quantities deliverable provided Buyer exercises the option contained in the Purchase Agreement. **All cancellation charges in this Exhibit are in addition to the per unit price in Exhibit B of Product delivered and the charges set forth in Paragraph 16B(i)-(v) of the Purchase Agreement.

More than 410 but less than 440 days following the date of this Agreement or when between 600,000*-700,000* units are

delivered, whichever occurs first

No cancellation payment but full reimbursement pursuant to the provisions of Paragraph 16B(i)-(v).